

GENERAL PURPOSE TOOLS


SDS PLUS S2 DRILL FOR CONCRETE



SDS
plus

PRODUCT FEATURES

Tungsten carbide tipped (TCT) edge with enlarged centering tip that allows drilling without walking. Quick removal of cuttings from the hole. For use in non-reinforced concrete, natural stone, brick, masonry walls. Supplied individually on a hanger.

CODE	DIAMETER [MM]	TOT. LENGTH [MM]	
80411	4	110	25/250
80416	4	160	25/200
80511	5	110	25/250
80516	5	160	25/200
80611	6	110	25/250
80616	6	160	25/200
80621	6	210	25/100
80626	6	260	25/100
80811	8	110	25/250
80816	8	160	25/200
80821	8	210	25/100
80826	8	260	25/100
80830	8	300	25/100
80835	8	350	25/100
80840	8	400	25/100
80845	8	450	25/100
81011	10	110	25/250
81016	10	160	25/200
81021	10	210	25/100
81026	10	260	25/100
81030	10	300	25/100
81035	10	350	25/100

GENERAL PURPOSE TOOLS


SDS PLUS S2 DRILL FOR CONCRETE



SDS
plus

PRODUCT FEATURES

Tungsten carbide tipped (TCT) edge with enlarged centering tip that allows drilling without walking. Quick removal of cuttings from the hole. For use in non-reinforced concrete, natural stone, brick, masonry walls. Supplied individually on a hanger.

CODE	DIAMETER [MM]	TOT. LENGTH [MM]	
81040	10	400	25/100
81045	10	450	25/100
81060	10	600	20/40
81211	12	110	25/250
81216	12	160	25/200
81221	12	210	25/100
81226	12	260	25/100
81230	12	300	25/100
81235	12	350	25/100
81240	12	400	25/100
81245	12	450	25/100
81260	12	600	20/40
81280	12	800	20/40
81316	13	160	25/200
81326	13	260	25/100
81335	13	450	25/100
81416	14	160	25/100
81421	14	210	25/100
81426	14	260	25/100
81430	14	300	25/100
81440	14	400	25/100
81445	14	450	20/40

GENERAL PURPOSE TOOLS


SDS PLUS S2 DRILL FOR CONCRETE



SDS
plus

PRODUCT FEATURES

Tungsten carbide tipped (TCT) edge with enlarged centering tip that allows drilling without walking. Quick removal of cuttings from the hole. For use in non-reinforced concrete, natural stone, brick, masonry walls. Supplied individually on a hanger.

CODE	DIAMETER [MM]	TOT. LENGTH [MM]	
81460	14	600	20/40
81616	16	160	20/80
81621	16	210	20/80
81626	16	260	20/80
81630	16	300	20/80
81635	16	350	20/40
81640	16	400	20/40
81645	16	450	20/40
81660	16	600	20/40
81680	16	800	20/40
81821	18	210	10/20
81826	18	260	10/20
81835	18	850	10/20
81840	18	400	10/20
81845	18	450	10/20
81860	18	600	10/20
82021	20	210	10/20
82026	20	260	10/20
82030	20	300	10/20
82040	20	400	10/20
82045	20	450	10/20
82060	20	600	10/20

GENERAL PURPOSE TOOLS


SDS PLUS S2 DRILL FOR CONCRETE



SDS
plus

PRODUCT FEATURES

Tungsten carbide tipped (TCT) edge with enlarged centering tip that allows drilling without walking. Quick removal of cuttings from the hole. For use in non-reinforced concrete, natural stone, brick, masonry walls. Supplied individually on a hanger.

CODE	DIAMETER [MM]	TOT. LENGTH [MM]	
82080	20	800	10/20
82221	22	210	10/20
82226	22	260	10/20
82230	22	300	10/20
82240	22	400	10/20
82245	22	450	10/20
82260	22	600	10/20
82280	22	800	10/20
82426	24	260	10/20
82440	24	400	10/20
82460	24	600	10/20
82480	24	800	10/20
82530	25	300	10/20
82545	25	450	10/20
82560	25	600	10/20
82626	26	260	10/20
82640	26	400	10/20
82660	26	600	10/20
82840	28	400	5/10
82860	28	600	5/10
82880	28	800	5/10